PRODUCT DATASHEET

Magnetic spot Light HF22Y-P60-24W 4000K





Application

- Hotel
- Mall
- Supermarket
- Theater
- Shop

Benefits

- Flicker free
- Adjustable Angle, flexible light control
- Minimum Glare, more clear and comfortable
- High color rendering index, restore the true color of the object, show its beauty

Features

- Warranty 5 years
- High efficiency lens design, resulting in a clear edge of the soft spot
- Die-cast aluminum lamp body, good heat dissipation performance, protect the chip, extend the service life

January,24,2024 Product Datasheet HF22Y-P60-24W 4000K





Electrical Data

Nominal wattage (W)	24W	
Nominal Voltage (V)	48	
Mains Frequency (Hz)	60	
Nominal Current (mA)	476	
Power Factor	1	
Operating mode	Magnetic Track Driver	

Photometrical data

Luminous flux ±10% (lm)	2160 lm		
Luminous efficacy	90 lm/w		
Color temperature	4 000K		
Light color (designation)	Cool White		
Color rendering index Ra	≥90		
Standard deviation of color matching	≤5 SDCM		
Luminous intensity/cd	675		
Flickering	Flicker free		
Beam angle	107 °		






4000K

January,24,2024 Product Datasheet HF22Y-P60-24W 4000K



Dimensions & Weight

Length*Width (mm)	600*23
Height (mm)	25
Product weight (g)	



L/W 600*23mm

Material & Colors

Product color	Black	
Housing color	Black	
Body material	Aluminum	
Cover material	PC	
Mercury content	0.0 mg	

Application & Mounting

Ambient temperature range	-20°C~+45 °C		
Temperature range at storage	-20°C~+60 °C		
Type of connection	Screwless terminal		
Type of protection	IP20		
Dimmable	No		
Mounting type	Magnetic Track Mounted		
Mounting location	Ceiling / Wall		
Application environment	Indoor		
Cut size (mm)	No		
LED module replaceable	Not replaceable		
With light source	Yes		




Certificates & Lifespan

Life (h)	50,000		
Certificates	CB LVD EMC RoHS		
Standards	ISO9001:2015		

Logistical Data

Product code	Dimensions	Pcs/	G.W.	Volume
	(L*W*H)	carton	kg	CBM
HF22Y-P60-24W	32.5*17.5*61	30		0.0347

Installation Method



Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.